Martini and Chemnitz.

C O N C H Y L I E N--C A B I N E T.

Second Edition.

Index by Monographs and Genera.

Uebersicht

über die neue reichvermehrte Ausgabe des

Systematischen

Conchylien-Cabinets

von Martini und Chemnitz.

In Verbindung mit

den Herren Dr. Dr. Pfeiffer, Philippi, Dunker, Roemer, Weinkauff, Clessin, Brot, Loebbecke und von Martens

neu herausgegeben und vervollständigt von

Dr, H. C. KÜSTER.

Nach dessen Tode fortgesetzt von

Dr. W. Kobelt,

welches bis jetzt ~~406~~ 425 Lieferungen mit je 5—6 **fein colorirten** Tafeln und dem entsprechenden Texte umfasst und mit noch circa 60 Lieferungen abschliessen wird.

Preis der Lieferungen 1—219 à M. 6 für Lieferung 220 und folgende à M. 9.

Sowohl für den Abnehmer zum richtigen Ordnen seines Exemplares, als auch für diejenigen Interessenten, die das Werk in dem, was in den bereits ausgegebenen 406 Lieferungen enthalten ist und was noch zu erscheinen hat, noch nicht kennen, veröffentlichen wir nachstehend eine genaue Angabe derjenigen Bände und Abtheilungen, in die das Werk zerfällt, unter Beifügung der bis heute gegebenen Tafeln und Textbogen.

I. Band.	1.	Abthg.:	*Cephalopoda (Argonauta, Nautilus, Spirula & Sepia,*	Taf. 1. 2. 3. 3 a. 3 b. 3 c. 4.	und Textb. 1. 2.	Abgeschl.
„	2.	„	*Pteropoda*		„ —	
„	3.	„	*Heteropoda, Finoloides*	Taf. 1	„ —	
„	4.	„	*Gasteropoda, Doridea*	„ —	„ —	
„	5.	„	*Acolidiacea*	„ 2	„ —	
„	6.	„	*Ancylea*	„ 1—9	„ 1—10	Abgeschl.
„	7.	„	*Umbrella, Tylodina*	„ 1	„ 1	„
„	8.	„	*Aplysiacea*	„ 1	„ —	
„	9.	„	*Bullacea*	„ 1—4	„ —	
„	10.	„	*Achatinidae*	„ 1—23	„ 1—9	
„	11.	„	*Daudebardia, Vitrina, Simpulopsis, Succinea*	„ 1—6	„ 1—8	Abgeschl.
„	12.	„	*Anostoma, Helix, Boyssia, Tomigerus, Proserpina, Streptaxis*	„ 1—12 12*—161 Textb. 1—116		„
„	12.	„	*Helix* IV. Theil.	„ 162—194 Tb. 117—135		
„	13.	„	*Bulimus, Partula, Achatinella, Achatina, Azeca*	„ 1—70 Textb. 1—50		Abgeschl.
„	13 a.	„	*Placostylus (Bulimus Neue Folge)*	„ 1—32	„ 1—18	„
„	14.	„	*Clausilia*	„ 1—38	„ 1—46	„
„	15.	„	*Pupa (mit Vertigo)*	„ 1—21	„ 1—25	„
„	15 a.	„	*Cylindrella*	„ 1—9	„ 1—10	„
„	16.	„	*Charychium, Scarabus, Auricula, Jamínia*	„ A. 1—9	„ 1—10	„
„	17.	„	*Physa und Planorbis*	„ 1—55	„ 1—55	„
„	17 b.	„	*Limnaeus, Amphipeplea. Chilina, Isidora, Physopsis*	„ 1—12	„ 1—10	„
„	18.	„	*Trochatella, Helicina, Lucidella*	„ 1—10	„ 1—10	„
„	19.	„	*Cyclostoma, Pterocyclos, Pupina, Callia, Acicula, Geomelania, Cataulus, Diplommatina*	„ A. 1—50	„ 1—50	„
„	20.	„	*Ampullaria*	„ A. 1—21	„ 1—10	„
„	21.	„	*Paludina, Hydrocaena, Valvata*	„ 1—14	„ 1—12	„
„	22.	„	*Rissoina, Rissoa*	„ 1—15 15a. 15b. 15c. 15d. 16—25	1—26	„
„	23.	„	*Truncatella, Paludinella*	„ 1—2	„ 1—3	„
„	24.	„	*Melania und Melanopsis*	„ 1—49	„ 1—61	„
„	25.	„	*Paludomus*	„ 1—8	„ 1—7	„
„	26.	„	*Cerithium*	„ 1—11	„ 1—18	
„	27.	„	*Turritella*	„ —	„ —	
„	28.	„	*Chemnitzia, Culima*	„ —	„ —	
II. „	1.	„	*Natica, Amaura*	„ A. 1—19	„ 1—21	Abgeschl.
„	2.	„	*Turbo*	„ A. 1—19	„ 1—13	„
„	3.	„	*Trochus, Xenophorus*	„ 1—49	„ 1—47	„
„	4.	„	*Delphinula, Scissurella, Globulus (Rotella)*	„ 1—8	„ 1—8	„
„	5.	„	*Phasianella, Bankivia, Lacuna*	„ 1—6	„ 1—7	„
„	6.	„	*Adeorbis, Skenea, Orbis, Fossarus*	„ 1	„ 1. 2.	„
„	7.	„	*Solarium*	„ 1—4	„ 1—6	„
„	8.	„	*Risella*	„ 1	„ 1. 2.	„
„	9.	„	*Litorina*	„ 1—14	„ 1—13	„
„	10.	„	*Neritina*	„ A. 1—23	„ 1—38	„
„	10 a.	„	*Navicella*	„ 1—8	„ 1—7	„
„	11.	„	*Nerita*	„ A. 1—15	„ 1—19	„

DSI

II.	Bd.	12.	Abthg.:	*Janthina, Recluzia*	Taf.	1.	2.	Textb.	1.	2. Abgschl.
	„	13.	„	*Scalaria*	„	—		„	—	
III.	„	1 a.	„	*Buccinum, Purpura, Concholepas, Monocerus* Taf. A. B. 1—22. 22a. 23. 23a. 24. 24a. 25. 25a. 26—31. 31a. 32. 32 a. 32 b. 33—35.					1—30	Abgeschl.
	„	1 b.	„	*Cassis, Cassidaria, Oniscia, Dolium, Eburna, Harpa*	„	36—70		„	1—13	„
	„	1 c.	„	*Buccinum II. Theil*	„	71—93		„	1—14	„
	„	1 d.	„	*Columbella und Nassa*	„	1—24		„	1—22	
	„	1 e.	„	*Ricinula*	„	1—5		„	1—5	Abgeschl.
	„	2.	„	*Murex, Ranella, Triton etc.* Taf. A. B. 1—44b 5—37. 37 a. 38. 38 a. 39. 39 a. 40—77				„	1—42	„
	„	3 a.	„	*Turbinella, Fasciolaria* Taf. 1—9. 9 a. 9 b. 10—13. 13 b. 14—32				„	1—21	„
	„	3 b.	„	*Pyrula und Fusus* Taf. 1—14. 14 a. 15—68				„	1—31	„
	„	4.	„	*Plicata*		—			—	
IV.	„	1.	„	*Strombus, Pterocera, Rostellaria, Chenopus* Taf A. B. 1—4. 4a. 4b. 5. 5a. 6—25				„	1—15	Abgeschl.
	„	2.	„	*Conea*	Tafel	A. 1—71		„	1—53	„
	„	3.	„	*Dibaphus, Pleurotoma*		A. 1—42		„	1—31	„
	„	4.	„	*Cancellaria*	Tafel	1—24		„	1—14	„
V.	„	1.	„	*Oliva*	Taf.	A. B. C. 1—39		„	1—22	„
	„	1 a.	„	*Ancillaria*		Taf. 1—12		„	1—6	„
	„	2.	„	*Terebra, Mitra, Voluta, Cymbium* 1—17. 17 a. 17 b. 17 c. 17 d. 17 e. 18—49	„	A. B.		„	1—29	„
	„	3.	„	*Cypraea, Ovula*	Taf.	A. 1—53		„	1—29	„
	„	4.	„	*Marginella, Erato*	„	1—26		„	1—20	„
VI.	„	1.	„	*Sigaretea*	„	A. 1—10		„	1—7	„
	„	1 b.	„	*Haliotis*	„	1—30		„	1—11	„
	„	2.	„	*Capulea, Patelloidea*	„	1. 2.		„	—	
	„	3.	„	*Patellacea*	Taf.	1, 3—7. 10.		„	1. 2.	
	„	4.	„	*Chitonacea*	„	1—3.		„	—	
	„	5.	„	*Dentalium*	„	—		„	—	
	„	6.	„	*Vermetacea, Caecacea*	„	—		„	—	
VII.	„	1.	„	*Brachiopoda, Ostracea* Taf. 1. 2. 2b. 2c. 2d. 3—6. 6 b. 7—14				„	1—11	
	„	2.	„	*Pectinea*	„	1—8. 8 a. 9—72		„	1—37	Abgeschl.
	„	3.	„	*Aviculacea*		Taf. 1—27		„	1—11	„
VIII.	„	1.	„	*Malleacea* T. 1—15. 15a. 15b. 15c. 15d. 16—46.				„	1—14	„
	„	2.	„	*Arcacea*		Taf. 1—49		„	1—30	„
	„	3.	„	*Mytillacea*		„ 1—36		„	1—22	„
	„	3 a.	„	*Lithophaga*		„ 1—6		„	1—4	„
	„	4.	„	*Tridacna u. Hippopus*		„ 1—3		„	1.	„
	„	5.	„	*Chama*		„ 1—20		„	1—7	„
IX.	„	1.	„	*Anodonta*	Taf.	A. 1—11. 11* 12—87		„	1—36	„
	„	2.	„	*Unio, Hyria, Margaritana, Monocondylaea, Dipsas* Taf. 1—18 18* 19—100				„	1—40	„
	„	3.	„	*Cycladea*		Taf. 1—46		„	1—36	„
X.	„	1.	„	*Carditacea*		„ 1—13		„	1—8	„
	„	1 a.	„	*Crassatella*		„ 1—9		„	1—6	„
	„	2.	„	*Cardium, Isocardia*		„ 1—14		„	1—16	„
	„	3.	„	*Donax, Iphigenia*	Taf.	1—21. 21a.		„	1—16	„
	„	4.	„	*Tellina*		Taf. 1—52		„	1—37	„
	„	5.	„	*Pelicoidea*		„ —			—	
XI.	„	1.	„	*Cyprina, Dosinia, Cyclina, Lucinopsis, Sunetta, Cytherea, Venus, Saxidomus, Venerupis, Clementina, Lucina, Fimbria, Galatea*		„ 1—42		„	1—38	Abgeschl.
	„	2.	„	*Mactracea*		„ 1—36		„	1—16	„
	„	3.	„	*Solenacea*		„ 1—25		„	1—14	„
	„	4.	„	*Pholadidae*		„ 1—21		„	1—11	„
	„	4 a.	„	*Gastrochaena*		„ 1—3		„	—	
	„	5.	„	*Cirripedia*	Taf.	1. 3. 4. 7.		„	1	

Nachfolgend ein Verzeichniss der fertigen Monographieen mit ihren Autoren und Preisen.

Achatina siehe **Bulimus.**

Adeorbis, Solarium und **Risella** von Dr. R. A. Philippi (1853). Bestehend aus 9 Bogen Text und 6 Tafeln . . . . . ℳ 10. 50

Amaura siehe **Natica.**

Ampullaria von Dr. R. A. Philippi (1851). Bestehend aus 10 Bogen Text und 22 Tafeln . . . . . ℳ 24. —

Ancillaria von H. C. Weinkauff (1878). Bestehend aus 6 Bogen Text und 12 Tafeln . . . . . ℳ 20. —

Ancylea von S. Clessin (1881). Besteh. aus 10 Bog. Text u. 9 Taf. ℳ 20. —

Anodonta von S. Clessin (1838—1876). Bestehend aus 36 Bogen Text und 89 Tafeln . . . . . ℳ 120. —

Arcacea von Dr. W. Kobelt (1891). Bestehend aus 30 Bogen Text und 49 Tafeln . . . . . ℳ 76. —

Argonauta, Nautilus, Spirula und **Sepia** von Dr. H. C. Küster (1868). Bestehend aus 2 Bogen Text und 7 Tafeln . . . . . ℳ 7. 50

Auriculacea von Dr. H. C. Küster (1844). Bestehend aus 10 Bogen Text und 10 Tafeln . . . . . ℳ 13. 50

Avicula von Dr. W. Dunker (1872—1880). Bestehend aus 11 Bogen Text und 27 Tafeln . . . . . ℳ 40. —

Balea siehe **Pupa.**

Bankivia siehe **Phasianella.**

Buccinum und **Purpura** I. Theil von Dr. H. C. Küster (1858). Bestehend aus 30 Bogen Text und 44 Tafeln . . . . . ℳ 48. —

Buccinum II. Theil von Dr. W. Kobelt (1883). Bestehend aus 14 Bogen Text und 23 Tafeln . . . . . ℳ 38. —

Bulbus siehe **Pyrula.**

Bulimus und **Achatina** von Dr. L. Pfeiffer (1845—1855). Bestehend aus 51 Bogen Text und 70 Tafeln . . . . . ℳ 90. —

Busycon siehe **Pyrula.**

Cancellaria von Th. Löbbecke (1881—1887). Bestehend aus 14 Bogen Text und 24 Tafeln . . . . . ℳ 48. —

Cardiacea von Dr. E. Römer (1869). Bestehend aus 16 Bogen Text und 14 Tafeln . . . . . ℳ 18. —

Carditacea von S. Clessin (1888). Best. aus 8 Bog. Text u. 13 Taf. ℳ 20. —

Cassidaria siehe **Cassis.**

Cassis, Cassidaria, Oniscia, Dolium, Eburna und **Harpa** von Dr. H. C. Küster (1857). Bestehend aus 13 Bogen Text u. 35 Taf. ℳ 40. 50

Chama von S. Clessin (1889). Besteh. aus 7 Bogen Text u. 20 Taf. ℳ 30. —

Clausilia von Dr. H. C. Küster (1847—1862). Bestehend aus 46 Bogen Text und 38 Tafeln . . . . . ℳ 54. —

Conea von H. C. Weinkauff (1875). Bestehend aus 54 Bogen Text und 71 Tafeln . . . . . ℳ 96. —

Crassatella von Th. Löbbecke und Dr. W. Kobelt (1884). Bestehend aus 6 Bogen Text und 9 Tafeln . . . . . ℳ 16. —

Cycladea von S. Clessin (1869). Best. aus 36 Bogen Text u. 46 Taf. ℳ 80. —

Cyclostoma von Dr. L. Pfeiffer (1846—54). Bestehend aus 51 Bogen Text und 51 Tafeln . . . . . ℳ 60. —

Cylindrella von Dr. L. Pfeiffer (1862). Bestehend aus 9 Bogen Text und 10 Tafeln . . . . . ℳ 13. 50

Cypraea, Ovula von H. C. Weinkauff (1881). Bestehend aus 29 Bogen Text und 54 Tafeln . . . . . ℳ 85. —

Delphinula, Scissurella, Globulus von Dr. R. A. Philippi (1883). Bestehend aus 8 Bogen Text und 8 Tafeln . . . . . ℳ 12. —

Dolium siehe **Cassis.**

Donacidae von Dr. E. Römer (1869). Bestehend aus 16 Bogen Text und 22 Tafeln . . . . . ℳ 24. —

Eburna siehe **Cassis.**

Erato siehe **Marginella.**

Euthria siehe **Pyrula.**

Fasciolaria siehe **Turbinella.**

Ficula siehe **Pyrula.**
Fusus siehe **Pyrula.**
Globulus siehe **Delphinula.**
Haliotis von H. C. Weinkauff (1883). Bestehend aus 11 Bogen Text und 30 Tafeln . . . . . ℳ 42. —
Harpa siehe **Cassis.**
Helicea von Dr. L. Pfeiffer (1816–53). Bestehend aus 116 Bogen Text und 162 Tafeln . . . . . ℳ 210. —
Helicinacea von Dr. L. Pfeiffer (1846). Bestehend aus 10 Bogen Text und 10 Tafeln . . . . . ℳ 13. 50
Hippopus siehe **Tridacna.**
Janthina und **Recluzia** von Dr. H. C. Küster (1868). Bestehend aus 2 Bogen Text und 2 Tafeln . . . . . ℳ 3. —
Lacuna siehe **Phasianella.**
Limnaeacea siehe **Physa** und **Planorbis.**
Limnaeus von Dr. H. C. Küster (1862). Bestehend aus 10 Bogen Text und 12 Tafeln . . . . . ℳ 15. —
Lithophaga von Dr. W. Dunker (1882). Bestehend aus 4 Bogen Text und 6 Tafeln . . . . . ℳ 10. —
Litorina von H. C. Weinkauff (1882). Bestehend aus 13 Bogen Text und 14 Tafeln . . . . . ℳ 28. —
Mactracea von H. C. Weinkauff (1884). Bestehend aus 16 Bogen Text und 36 Tafeln . . . . . ℳ 54. —
Malleacea von S. Clessin (1891). Best. aus 14 Bg. Text u. 50 Taf. ℳ 70. —
Marginella und **Erato** von H. C. Weinkauff (1879). Bestehend aus 21 Bog. Text und 26 Tafeln . . . . . ℳ 50. —
Megaspira siehe **Pupa.**
Melania und **Melanopsis** von Dr. A. Brot (1874—79). Bestehend aus 61 Bogen Text und 49 Tafeln . . . . . ℳ 100. —
Melanopsis siehe **Melania.**
Muricidea, Ranella, Triton und **Trophon** von Dr. H. C. Küster und Dr. W. Kobelt (1878). Best. aus 42 Bogen Text u. 83 Taf. ℳ 100. —
Mytilacea von S. Clessin (1889). Best. aus 22 Bogen Text u. 36 Taf. ℳ 56. —
Natica, Amaura von Dr. R. A. Philippi (1852). Bestehend aus 21 Bogen Text und 20 Tafeln . . . . . ℳ 27. —
Nautilus siehe **Argonauta.**
Navicella von Dr. E. Martens (1881). Bestehend aus 7 Bogen Text und 8 Tafeln . . . . . ℳ 16. —
Neptunea siehe **Pyrula.**
Nerita von Dr. E. Martens (1889). Bestehend aus 19 Bogen Text und 16 Tafeln . . . . . ℳ 30. —
Neritina von Dr. E. Martens (1879). Bestehend aus 38 Bogen Text und 24 Tafeln . . . . . ℳ 60. —
Oliva von H. C. Weinkauff (1878). Bestehend aus 22 Bogen Text und 42 Tafeln . . . . . ℳ 66. —
Oniscia siehe **Cassis.**
Ovula siehe **Cypraea.**
Paludina von Dr. H. C. Küster (1852). Bestehend aus 12 Bogen Text und 14 Tafeln . . . . . ℳ 18. —
Paludinella siehe **Truncatella.**
Paludomus von Dr. A. Brot (1880). Bestehend aus 7 Bogen Text und 8 Tafeln . . . . . ℳ 15. —
Pectinea von Dr. H. C. Küster und Dr. W. Kobelt (1888). Bestehend aus 37 Bogen Text und 73 Tafeln . . . . . ℳ 96. —
Phasianella, Bankivia, Lacuna von Dr. R. A. Philippi (1853). Bestehend aus 6 Bogen Text und 7 Tafeln . . . . . ℳ 9. —
Pholadea von S. Clessin (1893). Best. aus 11 Textbogen u. 21 Taf. ℳ 33.
Physa und **Planorbis** von S. Clessin (1886). Bestehend aus 55 Bogen Text und 55 Tafeln . . . . . ℳ 100. —
Placostylus (Bulimus, Neue Folge) von Dr. W. Kobelt (1891). Bestehend aus 18 Bogen Text und 32 Tafeln . . . . . ℳ 50. —
Planorbis siehe **Physa.**

Pleurotoma von H. C. Weinkauff und Dr. W. Kobelt (1887). Bestehend aus 31 Bogen Text und 43 Tafeln . . . . . ℳ 72. —
Pupa, Megaspira, Balea und **Tornatellina** von Dr. H. C. Küster (1852). Bestehend aus 25 Bogen Text und 21 Tafeln . . . . . ℳ 30. —
Purpura siehe **Buccinum.**
Pyrula und **Fusus,** mit **Ficula, Bulbus, Tudicla, Busycon, Neptunea** und **Euthria** von Dr. W. Kobelt (1881). Bestehend aus 31 Bogen Text und 70 Tafeln . . . . . ℳ 100. —
Ranella siehe **Muricidea.**
Recluzia siehe **Janthina.**
Ricinula von Dr. H. C. Küster (1862—69). Bestehend aus 5 Bogen Text und 5 Tafeln . . . . . ℳ 7. 50
Risella siehe **Adeorbis.**
Rissoa siehe **Rissoina.**
Rissoina, Rissoa von H. C. Weinkauff (1885). Bestehend aus 26 Bogen Text und 29 Tafeln . . . . . ℳ 56. —
Scissurella siehe **Delphinula.**
Sepia siehe **Argonauta.**
Sigaretea von H. C. Weinkauff (1883). Bestehend aus 7 Bogen Text und 11 Tafeln . . . . . ℳ 20. —
Solarium siehe **Adeorbis,**
Solenacea von S. Clessin (1888). Best. aus 14 Bogen Text u. 25 Taf. ℳ 40. —
Spirula siehe **Argonauta.**
Strombea von Dr. H. C. Küster (1845). Bestehend aus 15 Bogen Text und 30 Tafeln . . . . . ℳ 40. 50
Succinea siehe **Vitrina.**
Tellinidae von Dr. E. Römer (1871—73). Bestehend aus 38 Bogen Text und 61 Tafeln . . . . . ℳ 60. —
Tornatellina siehe **Pupa.**
Tridacna und **Hippopus** von Dr. H. C. Küster (1868). Bestehend aus 1 Bogen Text und 3 Tafeln . . . . . ℳ 4. —
Triton siehe **Muricidea.**
Trochus von Dr. R. A. Philippi (1846—1851). Bestehend aus 47 Bogen Text und 49 Tafeln . . . . . ℳ 60. —
Trophon siehe **Muricidae.**
Truncatella, Paludinella von Dr. H. C. Küster (1855). Bestehend aus 3 Bogen Text und 2 Tafeln . . . . . ℳ 4. 50
Tudicla siehe **Pyrula.**
Turbinella und **Fasciolaria** von Dr. W. Kobelt (1876). Bestehend aus 21 Bogen Text und 35 Tafeln . . . . . ℳ 48. —
Turbo von Dr. R. A. Philippi (1846). Bestehend aus 12 Bogen Text und 20 Tafeln . . . . . ℳ 21. —
Umbrellacea von Dr. H. C. Küster (1862). Bestehend aus 1 Bogen Text und 1 Tafel . . . . . ℳ 1. 50
Unio von Dr. H. C. Küster (1851—1862). Bestehend aus 40 Bogen Text und 101 Tafeln . . . . . ℳ 108. —
Veneracea von Dr. L. Pfeiffer (1869—1872). Bestehend aus 37 Bogen Text und 42 Tafeln . . . . . ℳ 54. —
Vitrina und **Succinea** von Dr. L. Pfeiffer (1854). Bestehend aus 8 Bogen Text und 6 Tafeln . . . . . ℳ 8. —
Volutacea von Dr. H. C. Küster (1841). Bestehend aus 30 Bogen Text und 56 Tafeln . . . . . ℳ 60. —

Diesen fertigen Monographieen werden sich in Bälde noch folgende Abtheilungen anschliessen: **Cerithium, Patellacea, Columbella, Helix** IV. Thl., **Gastrochaena, Cirripedia etc.**

In den 50er Jahren, als das Werk bereits circa 150 Lieferungen erreicht hatte, eröffneten wir in Folge vieler Nachfragen eine neue Subscription auf dasselbe, indem wir eine Sections- oder Bandausgabe errichteten. Jede solche Section kam drei Heften der Lieferungsausgabe im Preis und Inhalte gleich und hatte den Vortheil, dass sie nur dem Stoffe nach Gleiches oder Zusammengehöriges aus dem bisher Gegebenen der andern Ausgabe enthielt; solche Sectionen sind bis heute 134 erschienen und werden 30—40 weitere auch diese Ausgabe gleichzeitig mit der andern abschliessen. Nachfolgend ein chronologisch geordnetes Verzeichniss der erschienenen Sectionen nebst Angabe ihres Inhaltes.

1850	1.	**Cyclostomacea** I	mit	13	Textb.,	15	Tafeln.
	2.	„ II	„	16	„	16	„
	3.	**Pupa, Megaspira, Balea u. Tornatellina** I	„	18	„	21	„
1851	4.	**Helicea** I	„	18	„	18	„
1852	5.	**Turbo**	„	11	„	20	„
	6.	**Trochus** I	„	14	„	18	„
	7.	„ II	„	12	„	16	„
	8.	**Bulimus und Achatina** I	„	8	„	18	„
	9.	**Auriculacea**	„	10	„	9	„
	10.	**Helicea** II	„	15	„	15	„
	11.	**Ampullaria**	„	10	„	22	„
	12.	**Unio** I	„	8	„	16	„
	13.	**Helicea** III	„	7	„	17	„
1853	14.	„ IV	„	12	„	16	„
	15.	„ V	„	11	„	17	„
	16.	**Natica, Amaura**	„	14	„	20	„
	17.	**Helicinacea**	„	9	„	10	„
	18.	**Paludina, Hydrocaena und Valvata**	„	12	„	14	„
	19.	**Helicea** VI	„	11	„	17	„
	20.	**Clausilia** I	„	14	„	16	„
	21.	**Anodonta** I	„	8	„	17	„
	22.	**Helicea** VII	„	6	„	13	„
	23.	„ VIII	„	8	„	13	„
	24.	„ IX	„	12	„	18	„
	25.	**Delphinula, Scissurella u. Globulus, Phasianella, Bankivia und Lacuna**	„	15	„	14	„
1854	26.	**Strombea** I	„	7	„	14	„
	27.	„ II	„	8	„	15	„
	28.	**Helicea** X	„	16	„	19	„
	29.	**Conea** I	„	13	„	19	„
	30.	**Trochus** III	„	13	„	15	„
	31.	**Unio** II	„	7	„	17	„
	32.	**Volutacea** I	„	10	„	17	„
	33.	**Bulimus und Achatina** II	„	12	„	18	„
	34.	**Volutacea** II	„	9	„	21	„
	35.	**Cyclostomacea** III	„	21	„	20	„
	36.	**Volutacea** III	„	11	„	18	„
1855	37.	**Bulimus und Achatina** III	„	11	„	16	„
1856	38.	„ „ „ IV	„	8	„	18	„
	39.	**Unio** III	„	5	„	17	„
	40.	**Murex** I	„	5	„	18	„
1858	41.	**Cassis** I	„	7	„	17	„
	42.	„ II	„	6	„	18	„
	43.	**Buccinum** I	„	7	„	15	„

1858	44.	**Pectinea** I	mit	7	Textb.,	16	Tafeln.
1859	45.	**Vitrina, Succinea, Truncatella, Paludinella und Pupa (Schluss)**	„	19	„	11	„
	46.	**Pectinea** II	„	7	„	15	„
	47.	**Buccinum** II	„	13	„	16	„
1860	48.	**Purpuracea** I	„	10	„	13	„
1861	49.	**Clausilia** II	„	17	„	16	„
	50.	**Unio** IV	„	6	„	18	„
	51.	„ V	„	6	„	18	„
1862	52.	„ VI **mit Clausilia** III **(Schluss)**	„	18	„	21	„
1864	53.	**Cylindrella mit Limnaeus**	„	20	„	21	„
1868	54.	**Brachyopoda** I	„	11	„	18	„
	55.	**Argonauta, Umbrellacea, Janthina, Ricinula, Tridacna**	„	11	„	18	„
	56.	**Veneracea** I	„	7	„	18	„
1869	57.	**Cardiacea**	„	16	„	14	„
	58.	**Murex** II	„	8	„	18	„
1870	59.	**Veneracea** II	„	21	„	18	„
	60.	**Donacidae**	„	16	„	22	„
	61.	**Murex** III	„	8	„	18	„
1871	62.	**Tellinidae** I	„	8	„	18	„
1872	63.	„ II	„	15	„	18	„
	64.	„ III	„	14	„	16	„
1873	65.	**Avicula** I	„	7	„	18	„
	66.	**Conea** II	„	15	„	17	„
	67.	**Anodonta** II	„	5	„	18	„
1874	68.	„ III	„	5	„	18	„
	69.	**Turbinella und Fasciolaria** I	„	8	„	18	„
	70.	**Conea** III	„	10	„	18	„
1875	71.	**Anodonta** IV	„	8	„	18	„
	72.	**Pyrula und Fusus** I	„	6	„	17	„
	73.	**Conea** IV	„	15	„	18	„
	74.	**Pyrula und Fusus** II	„	5	„	17	„
	75.	**Melania** I	„	18	„	18	„
1876	76.	**Pleurotoma** I	„	9	„	18	„
	77.	**Anodonta** V	„	9	„	18	„
	78.	**Turbinella und Fasciolaria** II	„	13	„	17	„
	79.	**Murex** IV	„	8	„	18	„
1877	80.	**Oliva** I	„	8	„	18	„
	81.	**Cycladea** I	„	14	„	18	„
	82.	**Melania** II	„	26	„	18	„
	83.	**Oliva** II	„	8	„	18	„
1878	84.	**Cycladea** II	„	8	„	18	„
	85.	**Oliva** III **(Schluss) mit Ancillaria**	„	13	„	18	„
	86.	**Neritina** I	„	24	„	18	„
1879	87.	**Marginella** I	„	12	„	18	„
	88.	**Cycladea** III **(Schluss) mit Veneracea** III **(Schluss)**	„	24	„	16	„
1880	89.	**Cypraea** I	„	8	„	18	„
	90.	**Pyrula und Fusus** III	„	10	„	18	„
	91.	**Melania** III **(Schluss) mit Paludomus**	„	24	„	21	„
	92.	**Neritina** II **(Schluss) mit Murex** V **(Schluss)**	„	27	„	17	„
	93.	**Marginella** II **(Schluss) mit Avicula** II **(Schluss)**	„	13	„	17	„
	94.	**Pyrula und Fusus** IV	„	10	„	17	„
1881	95.	**Mactra** I	„	7	„	18	„
	96.	**Cypraea** II	„	8	„	18	„
	97.	**Helicea** XI	„	11	„	16	„
	98.	**Rissoina** I	„	10	„	18	„
	99.	**Cypraea** III **mit Ovula**	„	13	„	18	„
1882	100.	**Ancyllus mit Navicella**	„	17	„	17	„

1882	101.	**Buccinum** III	mit	9	Textb.,	18	Tafeln.
	102.	**Litorina mit Adeorbis, Solarium, Risella**	„	24	„	20	„
	103.	**Planorbis** I	„	13	„	17	„
1883	104.	**Sigaretа mit Haliotis** I	„	6	„	17	„
	105.	**Haliotis** II	„	8	„	18	„
	106.	**Haliotis** III **mit Buccinum** IV **(Schluss) und Lithophaga**	„	12	„	17	„
1884	107.	**Mactra** II	„	9	„	18	„
	108.	**Planorbis** II	„	11	„	16	„
1885	109.	„ III	„	16	„	17	„
1886	110.	„ IV **mit Rissoina, Rissoa** II **(Schluss)**	„	31	„	17	„
	111.	**Cancellaria** I	„	7	„	15	„
	112.	**Pleurotoma** II	„	14	„	18	„
1887	113.	**Mytilacea** I	„	8	„	18	„
	114.	**Pectinea** III	„	8	„	18	„
	115.	**Pleurotoma** III **u. Cancellaria** II **(Schluss)**	„	15	„	16	„
1888	116.	**Pectinea** IV	„	10	„	18	„
	117.	**Cardita und Crassatella**	„	14	„	22	„
	118.	**Solenacea** I	„	6	„	18	„
1889	119.	**Arca** I	„	8	„	18	„
	120.	**Nerita**	„	19	„	16	„
	121.	**Chama**	„	7	„	20	„
	122.	**Arca** II	„	9	„	17	„
1890	123.	**Mytilacea** II	„	15	„	18	„
	124.	**Cerithium** I	„	11	„	18	„
	125.	**Malleacea** I	„	7	„	19	„
	126.	**Bulimus** (Neue Folge) I	„	9	„	18	„
1891	127.	**Malleacea** II	„	3	„	19	„
	128.	**Malleacea** III **und Solenacea** II **(Schluss)**	„	11	„	20	„
	129.	**Bulimus** (Neue Folge) II	„	9	„	14	„
1892	130.	**Arca** III **u. Pectinea** V **(Schluss)**	„	18	„	20	„
	131.	**Columbella** I	„	16	„	18	„
1893	132.	**Pholadidae** I	„	8	„	18	„
	133.	**Achatinidae** I	„	7	„	18	„
1894	134.	**Helicea** XII	„	8	„	17	„

1895/96 135–141.

Preis der Sectionen 1—66 à 18 Mark für 67 u. folg. à 27 Mark. Einzelne Sectionen dieser Angabe werden ***nicht*** oder nur zu den dem Preise der vollständigen Monographie entsprechenden Preisen abgegeben.

☛ Der Subscription kann zu jeder Zeit beigetreten werden und stellen wir den Bezug der Lieferungs- oder Sectionsausgabe vollständig frei. Wir liefern auch gerne **wöchentlich, monatlich** oder jeden andern **beliebigen Termin** soviel Lieferungen, Sectionen oder Monographieen als gewünscht werden, wie wir überhaupt die **Neuanschaffung** oder den **Weiterbezug aufgegebener Fortsetzungen** nach **Möglichkeit erleichtern.**

Nürnberg, 15. März 1894.

Bauer & Raspe.

Ferner empfehlen wir:

Dr. W. Kobelt's

Illustrirtes Conchylienbuch.

Complet mit 112 schwarzen Tafeln und 49 Textbogen in 11 Lieferungen in hoch 4 à 6 Mk. oder 2 cart. Bänden. I. Bd. 32 Mk. II. Band 38 Mk.

Für Anstalten sowohl, als auch für Besitzer kleinerer Sammlungen, das vollständigste, prächtigste und billigste Handbuch.

Prodromus

der europäischen marinen

Molluskenfauna

von **Dr. W. Kobelt.**

Complet in 4 Fasc. mit 35 Textbogen in gr. 8. geh. 12 Mark.

Deutsche

Excursions-Mollusken-Fauna

von **S. Clessin.**

Zweite vermehrte und verbesserte Auflage in 4 Lieferungen.
Preis pro Lieferung in 8. geh. 3 Mark.
42 Bogen Text mit über 400 Holzschnitten enthaltend.
Complet gebunden 13 Mark.

Excursions-Mollusken-Fauna

Österreich-Ungarns und der Schweiz

von **S. Clessin.**

Bildet den 2. Theil des obigen Werkes und erschien in 5 Lieferungen in 8. 54 Textbogen mit über 500 eingedruckten Abbildungen enthaltend. à Mark 3. Complet gebunden 16 Mark.

Für jeden Sammler als Begleiter auf seinen Excursionen, als auch zum Bestimmen und Ordnen seiner Sammlung unentbehrlich.

Bauer & Raspe in Nürnberg.

Druck von E. Th. Jacob in Erlangen

Martini and Chemnitz.

C O N C H Y L I E N---C A B I N E T.

Second Edition.

Index by Monographs and Genera.

Acanthennea (see Ennea). Vol. I, part 12B

Acanthochites (see Chiton) " VI, " 4

Acar(see Arca) " VIII, " 2

Acanthopleura (see Chiton) " VI, " 4

Achatina, Kuster (1850) Vol. I, part 15[1], pp. 289-370, pls. 22

Achatinella, " " " " " " " 277-288, " 2

Acirsa(see Scalaridae) " II, " 13, " 70-71, " 1

Aclis (see Pyramidellidae)" I, " 28, " 207-213, " 2

Adeorbis, Philippi(1853) " II, " 6, " 1-5 " 1

Adula (see Lithophaga) " VIII, " 3A " 22-25, " 4

Aegista (see Helix) " I, " 12[4]

Aesopus (see Columbella)

Afrorhytida (see Rhytida)

Agaronia (see Oliva)

Agatha(see Pyramidellidae) I, " 28, " 233, " 1

Agnatha I, Moll. & Kobelt(1905)" " 12B[1] " 1-362, " 42

Agnatha II, " " (1906)" " 12B[2] " 1-96, " 18
(see "Rhytididae", "Innoidae" and "Strentaxidae")

Akera (see Bullidae) Vol. I, part VI, pp. 94-99, pls. 2

Alasmodonta (see Margaritana)

Alcira (see Columbella)

Aletes (see Vermetus)

Alexia (see Auriculacea I.) Vol. I, pt 16, page 127.

Alia (see Columbella)

Alicula (see Atys)

Alvania(see Rissoa)

Amaurella (see Pyramidellidae) Vol. I, pt 16, pp. 139-140, pls. 1

Amicula (see Chiton)

Ampelita (see Helix) Vol. I, part 12[4]

Amphigaidia (see Limnaea)" " " 17, pp. 5-8 pt 17B pls. 4 pp. 58-60

Amphiscopus (see Buliminus)" " " 13[2]

Amphisphyra (see Bullidae) " " " 6 " 63-70, pls. 2

Ampullaria, Philippi (1853)" " " 20, " 1-74, " 22

Amussium (see Pecten)

Anachis (see Columbella)

Anadara (see Arca)

Ancillaria, Weinkauff (1878) V, " 1A, " 1-44, " 11

Ancylinen, Clessin (1882) I, " 6 " 1-80, " 9

Ancylus, Clessin (1889) " pt 6, pp. 11-72 & 74-76 " 9

Angulus(see Tellinidae) X, 4 " 124-162 " 7

Anodonta, Clessin (1838-'76) IX, I, pp. 1-288 " 89

Anomalocardia (see Arca)

Anostoma (see Helix I.) I, 12[3]

Antalis (see Dentaliidae) VI, 5 " 24-30 & p. 43 " 5

Aphastus (see Placostylus)

Aphanistylus (see Cerithium)

Aplustrum (see Bullidae) I, 6 " 130-132, " 2

Aplysia (see Aplysiidae) " 8 " 1-24, " 8

Aplysiidae, Clessin (1899) " " " 1-58, " 14

Arcacea, Kobelt (1891) VIII, 2 ", 1-238, " 49

Arca, Kobelt (1891) " ". " 7-238 " 49

Arcopagia (see Tellinidae) X 4 " 72-96 " 5

Argina (see Arca)

Argonauta, Kuster (1868) Vol. VI (?) Not in set.

Arionta(see Helix I.) " I, part 12½

Ariophanta (see Nanina)

Artemon (see Streptaxidae) " " 12B½pp. 40-47,pls. 4

Aspergillum, Clessin (1895) XI, " 4A pp. 25-35 pls. 5

Atilia (see Columbella)

Astyris(see Columbella)

Atopocochlis, Kobelt (1895) I, " 10, " 2-4, " 1

Atys (see Bullidae) " " 6, pp. 13-32 " 5

Auriculacea I., Kuster (1868) " " 16, " {162-165 / 1-76 " 14

Auriculacea II.,Kobelt (1901) " " " " 77-316 " 33

Auricula(see Auriculacea I. & II) pp. 13-56 & 77-95 pls 14

Auriculastra (see Auriculacea II.) Vol. I, pt 16 begins p. 95

Auriculina(see Auricula)

Austenia (see Nanina)

Austrodiaphana (see Bullidae) Vol. I, part 6, pp. 70-71, 1

Austroselenites (see Scolodonta)

Autonoë (see Melampus)

Avicula, Dunker (1872-'80) " VII, " 3, pp. 1-84 pls. 27

Azeca, Kuster (1850) " I, " 13½"371-374 " 1

Balea, Küster (1852) Vol. I, part 15, pp. 142-145, pl. 1

Bankivia, Philippi (1853) " II, " 5 " 33-34 pls. 1

Barbatia (see Arca) " VIII, " 2

Barleeia (see Rissoina) " I, " 22, " 98-100, " 1

Bavayia (see Placostylus)

Bathyarca (see Arca)

Batissa (see Cycladea) " IX, " 3, pp. 206-223 &268" 1

Beddomea (see Buliminus) " I, " 13 2

Bela (see Pleurotomidae) " 4 " 3, " 137-167 pls. 5

Bensonia (see Nanina)

Berthella (see Aplysiidae)" I, " 8, " 47-48, " 1

Bittium (see Cerithium)

Bivonia (see Vermetidae) " VI, " 6 " 37-45, " 1

Blanneria (see Auriculacea II.) Vol. I, pt 16, Berlin t p. 230

Bostryx (see Helix I.) Vol. I, part 12 4

Bothriembryon (see Buliminidae) I, " 13 2 pp. 763-781, pl. 4

Bouvieria (see Berthella)

Boysia (see Helix I.) Vol. I, part 12 2 page 6, pls. 1

Brachytoma (see Pleurotoma)

Brephulus (see Buliminus) " " 13 2

Brondelia (see Ancylinen) " " 6, pp. 6-8 pls. 1

Buccinum, {Küster (1858) " III, " 1A " 1-90, " 15
{Kobelt (1883) " " " 1C " 1-93, " 23

Buccinopsis (see Buccinum)" " " 1C " 99-103 " 1

Bucconia (see Scaphander)

Bulbus (see Pyrula) " " " 3B " 14-15, " 2
also Natica)

Buliminidae, Kobelt (1902) Vol. I, pt 13 2 pp. 397-1062, pls 63

Buliminus (see Buliminidae) " " " " " " 1006, " "

Bulimus, Pfeiffer (1845-'55) " " " 13 1 " 1-262 " 45

" (Neue Folge—see Placostylus) 1[illegible] " 1-142 " 32

Busycon (see Pyrula) Vol. III, pt [illegible] " 47-[illegible], " 4

Byssanodonta (see Anodonta)" IX, part 1, " [illegible]-[illegible], " 1

Byssoarca (see Arca) " VIII, " [illegible]

Bulla (see Bullidae) " I, " [illegible], " 71-94, 169-171 " 7

Cadulus (see Dentaliidae) Vol. VI, pt 5, pp. 34-38, pls. 3

Caecum (see Vermetidae) " " 6, " 9-32, " 4

Callianax (see Oliva)

Callista (see Veneracea) " IX, " 1, "(index) 292

Callochiton (see Chiton)

Calyculina (see Cycladea) " " " 3 " 253-266 pls. 3

Camaena (see Helix) " I, " 12*

Campylaea (see ") " " " "

Cancellaria, Löbbecke (1881-'87) Vol. IV, pt 4, pp. 1-110, 24

Capsella (see Donax)

Cardiacea, Romer (1869) Vol. 10, pt 2, pp. 1-124, pls. 14

Carditacea, Clessin (1888) " " 1, " 1-60, " 13

Cassidaria, Kuster (1857) " III, " 1B, " 46-52, " 2

Carychium (see Auriculacea I.) I, " 16, " 3-6 & p. 61, 1

Caryodes (see Buliminides) " " 13* p. 1009, 1

Cassidula (see Auriculacea I.) " " 16, begins at p. 169.

Cassis, Kuster (1857) Vol. III, " 1B, pp. 1-45, pls15

Cathaica (see Helix I.) " I, " 12*

Cerastus (see Buliminus) " " " 13*

Ceratisolen (see Solenacea) XI, " 3, " 49-61, " 1

Cerithidea (see Cerithium)

Cerithiella " "

Cerithium, Kobelt (1898) I, " 26, " 1-298, " 47

Chaetopleura (see Chiton)

Chama, Clessin (1889) VIII, " 5 " 1-56, " 10

Charis (see Placostylus)

Chenopus(see Strombea) Vol. IV, part I, pp. 101-105,pls2

Chilina, Küster (1862) " I, " 17B " 61-69, pls. 2

Chion# (see Donax)

Chiton (see Chitonidae) " VI, " 4, " 1-122, " 41

Chitonellus(" ") " " " " " 123-126, " 3

Chitonidae, Clessin (1904) " " " " 1-136 " 41

Chlamidota (see Buccinum)

Chloritis (see Helix I.) " I, " 13[4]

Choanomphalus(see Limnaecea) " " 17, pp. 232-235, " 1

Chondrula (see Buliminidae) " " 13[2] "567-609) " 5
905-917)

Chondrulopsis (see Buliminius)" " 13[2]

Chrysallida (see Pyramidellidae) " 28, pp. (226-228 "
(253-254

Cingulina (" ") I, " " " 222-224 " 1

Cingula (see Rissoa)

Cioniscus (see Pyramidellidae)" " " " 74-75 " 2

Circe (see Veneracea) Vol. XI, " 1, " (index) p293

Cirripedia, Schmalz (1906) " " 5 (vol. "missing")

Cladopoda (see Thylacodes)

Clanculus (see Trochus)

Clausilia,Küster (1847-'62) I, " 14, pp. 1-356, " 38

Clausiliopsis (see Buliminus)

Clavagella, Clessin (1895) XI, " 4A, " 17-22, " 3

Clavata (see Pleurotoma)

Clavus (" ")

Clavator (see Buliminidae) I, " 13[2] p. 730, " 1
Clavigera (see Melanidae) " " 24, pp. 359-368 " 3

Clementina (see Veneracea) Vol. XI, pt I, pp. 151-155 pl. 1

Cleostylus (see Buliminus)

Clionella (see Pleurotoma)

Coccoderma (see Buliminus)

Codringtonia (see Helix I.) I, " 12[6] " 37-55

Coelatura (" ") " " 12[4]

Colina (see Cerithium)

Columba (see Anodonta) Vol. IX, " 1, " 252-255 " 3

Columbarium (see Pleurotomidae) IV," 3, " 172 " 1

Columbella (see Columbellidae) III," 10, " 1-329 " 44

Columbellidae, Kobelt (1897) " " " " 1-344 " 44

Columbellina (see Columbella)

Concholepas(see Buccinum)

Conidea (see Columbella)

Conus, Weinkauff (1875) Vol. IV, " 2, " 1-413, " 72

Conopleura (see Pleurotoma)

Constantia (see Pyramidellidae) I, " 38, page 220, " 1

Corbicula (see Cycladea) Vol. IX, " 3, pl. 1[19-205, 257-268] " 14

Conulinus (see Buliminus)

Coxia (see Rhytididae) " I, " 12F, " 85-86, " 1

Crassatella, Kobelt (1884) X, " 1A, " 1-41, " 9

Crassispira (see Pleurotoma)

Crenatula, Clessin (1891) VIII, " 1, " 46-51, " 4

Crenella (see Mytilidae) " " 3 " 149-154 " 2

Cristigibba (see Helix I.) I, " 12[4]

Crossea (see Pyramidellidae) " " 38, " 281, " 1

Cryptaxis (see Cylichna)

Cryptoconchus (see Chiton)

Cryptosoma (see Naninidae) Vol. I, pt 12 pp. {1177-1180, pls 1
{1196-1199

Cucullea (see Arca) " VIII " 2, " 4-6 & 228, " 2

Cultellus (see Solenacea) XI, " 3, " 36-43, " 6

Cycladea, Clessin (1869) IX, " " " 1-284, " 46

Cyclina (see Veneracea) XI, " 1, " 110-117, " 3

Cyclostoma, Pfeiffer (1846-'54) I, " 19, " 1-400, " 51

Cylichna (see Bullidae) I, " 6, " {32-62 " 5
{171-180

Cylichnella (see Cylichna)

Cylindrobulla " Bullidae) " " " " 120-123 " 1

Cylindrotis (see Auriculacea) " " 16, begins at p. 102

Cymbium(see Volutacea) V, " 2, pp. 205-223, " 12

Cypraea, Weinkauff (1881) " " 3 " 1-232 " 43

Cyprina (see Veneracea) XI, " 1, " 3-5 " 1

Cytherea " ") " " " " 5-77, " 17

Cyrena (see Cycladea) IX, " 3, " {101-128 " 15
{227-244

Dacridium(see Mytilidae) Vol. VIII, pt 3, pp. 155-156, pls. 1

Daudebardia, Pfeiffer (1854)" I, pt 11, " 1-6, " 1

Delphinula, Philippi (1853) " II, " 4, " 1-28, " 5

Dendropoma (see Siphonium)

Dendrotrochus (see Nanina)

Dentaliidae, Clessin (1896) VI, " 5, " 1-[illegible], " 11

Dentalium (see Dentaliidae) " " " " 2-23, 40-42 " 10

Dentipecten (see Pecten)

Dentistomus (see Buliminus) I, " 13[2]

Detracia (see Melampus)

Diaphaphus (see Pleurotomidae) IV, " 3, " 1-3

Diaphora (see Ennea)

Dinia (see Atys)

Dione (see Veneracea) Vol. XI, " 1, (index) p. 295

Diplomphalus(see Rhytididae) I, " 12B, pp. 88-91, pls. 1

Diplothyra (see Pholadea) XI, " 4, " 83, " 1

Dipsas, Küster (1848) IX, " 2, " 305-306," 1

Discartemon (see Streptaxidae)

Dischides (see Dentaliidae) VI, " 5, p. 39

Dolabella (see Aplysiidae) I, " 6, " 24-27, pls. 2

Dolabrifera " ") " " " " 27-32, " 2

Dolium, Küster (1857) Vol. III, " 17, " 69-77 " 3

Donacidae, Romer (1869) " X, " 6, " 1-132, " 21

Donax (see Donacidae) " " " " " 1-109, " 19

Doryssa (see Melanidae) " I, " 24, " 342-358, " 1

Dosina (see Veneracea) Vol. XI, part 1, (index) p. 235

Dosinia " ") " " " " pp. 87-110, pl. 6

Drillia (see Pleurotomidae) IV, " 3, " 180-182 " 1

Dunkeria (see Pyramidellidae) I, " 86, " 204-207 "
254-255 "

Dyakia (see Nanina)

Eatoniella(see Rissoa) Vol. I, part 22, pp. 194-196 pl 1

Eburna, Küster (1857) " III, " 1B, " 78-84,pls. 1

Edentulina(see Enneidae) I, 12B, " 290-308," 4

Elma (see Ennea)

Elusa (see Pyramidellidae) I, " 28, " 198-199

En a (see Buliminus) " " " 13[2]

Engina (see Columbella)

Ennea (see Enneidae)Vol. I,pt 12B, pp. [illegible] " [illegible]

Enneastrum (see Ennea)

Enneidae, Möll.& Kobelt (1905)I, part 12B pp. 92-362 " 28

Entodina (see Systrophia)

Epiphragmophora(see Helix

Erato, Weinkauff (1879) V, " 4, " 145-156 " 2

Enoplochiton (see Chiton)

Eremia (see Helix I.) I, " 12[4]

Fulima (see Eulimidae) " " [illegible], "[illegible]" 5

Eulimidae, Clessin (1902) " " " " 1-47, pls. 10

Eulimella (see Pyramidellidae)" " " " 192-197 " 1

Eulota (see Helix I.) Vol. I, " 12[5]

Euplecta (see Nanina)

Eurhytida (see Rhytida)

Euthria, Kobelt (1881) III, " 3B, " 219-233 " 2

Evalea (see Odostomia)

Everettia (see Nanina)

Excisa (see Ennea)

Fairbankia (see Rissoina)

Fasciolaria, Kobelt (1876) Vol. III, 3A, pp. 125-153pls. 19

Fastigiella (see Cerithium)

Faunus(see Melanidae) " I, pt 2A, pp. 41.-413, " 1

Ficula (see Pyrula) " III, " 3F, " 3-14, " 3

Fimbria (see Veneracea) " IX, " 1, " 117-[illegible], " 1

Finella (see Eulimidae) " I, " [illegible], " 46-47

Fistulana, Clessin (1895) XI, " 4A, " [illegible], " 1

Fossarina (see Pyramidellidae) I, " [illegible], " [illegible] " 1

Fossarus, Philippi (1853) II, " [illegible], " 13-14, " 1

Fremblya (see Chiton)

Fruticicola (see Helix I.) " 12[illegible]

Fusus, Kobelt (1881) III, " 3F, " 141-[illegible], "[illegible]

Gadus (see Dentaliidae) Vol. VI, part 5, pp. 43-44

Galatea (see Veneracea) " XI, " 1, " 281-283 pls. 1

Gastrana (see Tellinidae)" X, " 4, " 270-280, " 2

Gastrochaena (see Gastrochaenidae) XI, 4A, " 1-16, " 4

Gastrochaenidae, Clessin (1895) " " " 1-58, " 21

Gastrochus (see Helix) Vol. I, " 12[4]

Gegania (see Eulimidae) " " " 28, " 35-36, " 1

Gemmula (see Pleurotoma)

Genota (" ")

Gibbulina (see Enneidae) " I, " 12B, " 315-336," 5

Gibbus (" " " " " " " 313-314," 2

Globulus, Philippl (1853)" II, " 4, " 41-58 " 2

Glycymeris (see Gastrochaenidae) XI, 4A, " 52-53, " 1

Gonaxis (see Streptaxidae) I, " 12B[2] " 4-22, " 4

Gonidomus (see Gibbulina)

Gonospira (" ")

Guestieria (see Streptaxidae)I, " 12B[2] " 76-77, " 1

Gulella (see Ennea)

Gundlachia (see Ancylinen) " " 6, " 2-5 " 3

Geotrochus (see Helix) Vol. " " 12[4]

Hadra (see Helix I.)	Vol. I,	part 12[4]			
Haliotis, Weinkauff (1863)	VI,	" 1B,	pp. 1-88,	" 30	
Haminea (see Bullidae)	I,	" 6,	" 99-120 165-169	" 5	
Hanleya (see Chiton)					
Happia (" Scolodonta)					
Harpa, Kuester (1857)	III,	" 1B,	" 85-104,	" 5	
Haustator (see Turritella)					
Hecuba (see Donax)					
Helicogena (see Helix I.)	I,	" 12[6]	" 89-305,	"	
Helicarion (see Naninidae)	"	" 12[5]	" 1010 & 1174,	2	
Helicidae, Kobelt (1905)	"	" "	" 861-1226,	72	
Helicina (see Helicinacea)	"	" 18,	" 10-78 pls.	10	
Helicinacea, Pfeiffer (1846)	"	" "	" 1-78	" 10	
Helix, Pfeiffer (1846-'53)	"	" 12[1]	" I-XVI 1-400	" 66	
" " "	"	" 12[2]	" 25-290,	" 58	
" " "	"	" 12[3]	" 291-524,	" 37	
" " "	"	" 12[4]	" 525-660,	"66	
" " "	"	" 12[5]	" 944-946,	" 1	
" " "	"	" 12[6]	" 1-305,	" 69	
Hemiaelis (*see Pyramidellidæ*	"	" 28	" 214-215,	" 1	
Hemiglypta (see Nanina)					
Hemiplecta(see Naninidae)	"	" 12[5]		page 1005	
Hemisinus (see Melanidae)	"	" 24,	" 389-399,	" 4	
Hemitrichia (see Nanina)					
Heterodonax (" Donax)					
Hindsia (see Purpuracea)	III,	" 2,	" 314-325,	" 3	
Hinnites (see Pecten)					

Hippopus, Kuester (1868) Vol. VIII, part 4, pp. 7-8 pls. 1

Holcauchen (see Buliminus) " I, " 13½

Homala (see Tellinidae) " X, " 4, " 179-184, " 4

Homorus, Kobelt (1895) " I, " 10, " 87-115, "10

Hyalina (see Helicidae) " " " 12½ " 920-922, " 1

Hydatina (" Bullidae) " " " 6, " 132-136, " 3

Hydrocaena, Kuester (1852) " " 21, " 80-82, " 1

Hyria, " (1848) IX, " 2, " 140-142, " 1

Huttonella (see Ennea)

Iberus (see Helix I.) Vol. I, part 12[4]

Imperturbatia (see Streptaxidae) " 12B[2] pp. 23-25,pls. 1

Indoennea (see Ennea)

Indrella (" Nanina)

Iole (see Jole)

Iphigenia (see Streptaxidae) I, " 12B[2] " 110-118, " 3

Iravadia (see Rissoina)

Isaurica (see Helix I.) " " 12[5] " 33-35,

Ischnochiton (see Chiton)

Isidora, Kuester (1862) Vol. I, " 17B, " 69-72, " 1

Isomeria (see Helix I.) " " " 12[4]

Isseliella (see Rissoina)

Jacosta (see Helix I.) Vol. I, part 12[4]

Jaminia (see Auriculacea I.) " " 10, pp. 59-60,pls. 1

Janthina, Kuester (1868) II, " 12, " 1-11, " 1

Jeffreysia (see Pyramidellidae) I, " 20, " 263

Jole (" ") " " " " 200-201,

Jouannetia (see Pholadea) XI, " 4, " 35-37, " 2

Kaliella (see Nanina)

Kuphus (see Pholadea) Vol. XI, part 4, pp. 79-80, pls. 2

Labyrinthus (see Helix I.) Vol. I, part 12[4]

Lacuna, Philippi (1853) " II, " 5, pp. 35-52, pls. 1

Laimodonta (see Melampus)

Lamelliger (see Gonaxis)

Lampanella (see Cerithium)

Lampania (" ")

Lamprocystis(see Nanina)

Lanx (see Ancylinen) Vol. I, " 6, " 10-14, " 1

Latona (see Donax)

Latia (see Ancylinen) " " " " " 8-10, " 2

Leiostraca (see Eulimidae) " " 28, " {36-42 & p. 263 " 3

Lemintina (see Thylacodes)

Lepidochiton (see Chiton)

Lepidopleura(" ")

Leptochiton (" ")

Leucochiloides (see Buliminus) I, " 13[2]

Leucochroa, Kobelt (1905) " " 12[5] " {924-944 1202-1206 " 4

Leuconia (see Auriculacea I.) ", " 16, begins at p. 136

Levantina (see Helix I.) " " 12[6] pp. 2-32, pls.

Limicolaria, Kobelt (1895) " " 10, " 48-84, " 21

Limnaecea, Clessin (1886)	Vol.	I,	part	17,	pp.	1-430, pls. 55
Limnaeus (see Limnaecea)	"	"	"	"	"	375-404, " 5
" Kuster (1862)	"	"	"	17,	"	1-58, " 12
Limosina (see Cycladea)	"	IX,	"	3,	"	245-252, " 2
Liocerithium (see Cerithium)						
Lioconcha (see Veneracea)		XI,	"	1,		(index) p. 296
Liostoma (see Odostomia)						
Lissarca (see Arca)						
Litharca (" ")						
Lithodomus (see Lithophaga)						
Lithophaga, Dunker (1882)		VIII,	"	34,	"	1-32, " 6
Litorina, Weinkauff (1882)		II,	"	9,	"	1-114, " 14
Livinhacia, Kobelt (1895)		I,	"	10,	"	4-8 " 1
Lophauchen (see Buliminus)		"	"	13		
Lophyrus (see Chiton)						
Lorica (" ")						
Loripes (see Veneracea)		XI,	"	1,	"	(index) p. 296
Lucina (" ")		"	"	"	"	277-279, " 1
Lucinopsis" ")		"	"	"	"	117-120, " 1
Lucidella, Küster (1862)		I,	"	18,	"	9-1[illegible], " 1
Lysinöe (see Helix I.)		"	"	12		

Mabiliella (see Homorus)

Machaera (see Solenacea) Vol. XI, part 3, pp. 57-58, pls. 8

Machaerodonax (see Donax)

Macoma (see Tellinidae) " X, " 4, " 216-260," 9

Macrochlamys (see Naninidae) I, " 12[5] " 1011-1041," 6

Macrocycloides (see Rhytida)

Macrodon (see Arca)

Macrophragma (see Vermetus)

Mactra, Weinkauff (1884) Vol. XI, " 2, " 1-124, " 36

Macularia (see Helix I.) " I, " 12[4]

Malleacea, Clessin (1891) " VIII, " 1, " 1-108, " 50

Malleus (see Malleacea) " " " " " 3-15, " 6

Margarita (see Trochus)

Margaritana, Kuster (1848) IX, pts 1 & 2 " {262-275," 11 {293-303,

Marginella, Weinkauff (1879) V, part 4, " 1-144, " 24

Marinula (see Auriculacea I.) I, " 16, begins at page 208

Martesia (see Pholadea) XI, " 4, pp. 38-47, " 5

Mastoides (see Buliminus) I, " 13[2]

Mastus (" ") " " "

Mathilda (see Pyramidellidae) " " 28, " 224-226," 7

Mauronopaeus (see Buliminus) " " 13[2]

Medea (" ") " " "

Megaspira, Kuster (1852) " " 15, " 139-141," 1

Meioceras (see Vermetidae) VI, " 6, " 33-34, "

Melampus (see Auriculacea I.) I, " 16, begins at page 186

Meta (see Columbella)

Melanidae, Brot (1874-'79) Vol. I, part 24, pp. 1-468, pls. 49

Melania (see Melanidae) " " " " " 1-341, " 34

Melanatria " ") " " " " " 400-407," 3

Melanopsis " ") " " " " " 416-466," 5

Meleagrina (see Avicula)

Meretrix (see Veneracea) IX, " 1, (index p. 297)

Mesalia(see Turritella) I, " 27, " 71-75, " 1

Metis (see Tellinidae) Vol. X, " 4, " 200-216," 5

Microcondylea (see Anodonta) IX, " 1, " 256-262," 4

Microcystina (see Nanina)

Micromelo (see Bullidae) I, " 6, " 128-130 " 3

Micromphalia (see Rhyrtida)

Microplax (see Chiton)

Microstrophia (see Ennea)

Miralda (see Pyramidellidae) I, " 28, " 261-263," 1

Mirus (see Buliminus) " " 13

Mitra (see Volutacea) Vol. V, " 2, " 33-150, " 20

Mitrella (see Columbella)

Mitropsis " ")

Mnestia (see Cylichna)

Modiola (see Mytilidae) VIII, " 3, " 91-139, " 18

Modiolaria " ") " " " " " 140-148," 3

Monoceros, Kuster (1858) III, " 1A, " 206-218," 4

Monocondylea (see Unio) IX, " 2, " 304-305," 1

Monodonta (see Trochus)

Monoptygma (see Pyramidellidae) I, " 28, " 215-221 " 3

Mopalia (see Chiton)

Mucronalia (see Pyramidellidae) Vol. I, part 28, pp 244-246 pls. 1.

Murex (see Purpuracea) Vol. III, part 2, pp. 1-122, pls. 36

Musculus (see Tellinidae)" II, " 4, " 1-10, " 3

Mutela (see Anodonta) " IV, " 1, " 191-199," 3

Mycetopus (see ") " " " " " 196-208," 5

Mytilidae, Clessin (1889)" VIII, " 3, " 1-170, " 38

Mytilus (see Mytilidae) " " " " " 30-90, " 21

Nanina (see Naninidae) Vol. I, part 12[5] pp. 947-1201 pls. 57
(Also in part 12[4], see pp. 525, 539-541 & 549)

Naninidae(see Helicidae) Vol. 1, part 12[5] pp. 947-1195, pls. 53

Napaeus (see Buliminus) " " " 13[2]

Natalina(see Rhytididae) " " " 12B " 19-24, " 2

Natica, Philippi (1852) " II, " 1, " 1-164, " 20

Naticina (see Sigaretus)

Nautilus (see Argonauta) " VI (?) (Not in set)

Navea (see Pholadea) " XI, " 4, pp. 57-58, pls. 1

Navicella, Martens (1889)" II, " 10A " 1-56, " 8

Neobuccinum (see Buccinum)

Neptunea (see Pyrula) " III, " 3B, " {54-140, 236-237 " 24

Nerita, Martens (1889) " II, " 11, " 1-130, " 16

Neritina, Martens (1879) " " " 10, " 1-304, " 24

Neritopsis (see Nerita) " " " 11, " 131-148," 1

Nettastomella(see Pholadea) XI, " 4, " 55-57, " 1

Nigritella (see Helix I.) I, " 12[4]

Nitidella (see Columbella)

Niso (see Eulimidae) Vol. " " 28, " 43-46, " 1

Noemia (see Pyramidellidae) " " " " 231

Noetia (see Arca)

Notarchus (see Aplysiidae) " " 8, " 48-50, " 3

Nummulina (see Helix I.) " " 12[4]

Obba (see Helix I.) Vol. I, part 13[b]

Obbina " ") " " " "

Obeliscus (see Pyramidellidae)" " 33, pt. 49-59, pls. 4

Odontartemon (see Streptaxidae) " 13[B-2] " 90-96, " 4

Odontura (see Helix I.) " " 13[b]

Odostomia " ") " " "

Oliva, Weinkauff (1876) V, " 1, " 1-172, " 42

Olivella (see Oliva)

Olivancillaria (see Oliva)

Omphaloconus (see Buliminus) I, " 13[2]

Oniscia (see Cassis) Vol. III, " 1B, " 53-59, " 2

Onithochiton (see Chiton

Onoba (see Rissoa)

Ophicardelus (see Melampus)

Orbis, Philippi (1853) II, " 3, " 11

Oscanius (see Aplysiidae) I, " 2, " 52, " 1

Oscilla (see Helix I.) " " 18, " 229-230," 1

Otesia (see Nanina)

Ouagapia(see Rhytida)

Ovella (see Buliminus) Vol. I, " 13[2]

Ovula (see Cypraea) " V, " 3, " 107-[illegible]," 11

Oxytes (seeNanina)

Pachnodes (see Buliminus) Vol. I, part 15[2]

Pachyatus " ") " " " "

Paludina, Kuster (1852) " " " 21, pp. 1-79, pls. 13

Paludinella, " ") " " " 23, " 17-19 " 1

Paludomus, Brot (1880) " " " 25, " 24-52, " 5

Panda(see Buliminidae) " " " 15[2] part 7[illegible], " 1

Panopaea (see Gastrochaenidae) XI, " 4A, pp. 45-52, " 7

Parallelepipedum (see Arca)

Papuina (see Helix) I, " 12[4]

Parapholas(see Pholadea) XI, " 4, " 49-55, " 3

Parastrophia(see Vermetidae) " VI, 6, " 34-35

Parthenia (see Pyramidellidae) I, " 18, " 175-192," 6

Partula (see Bulimus) Vol. " " 13[1] " 2[illegible]-277," 7

Paryphanta (see Rhytididae) " " 12B, " 10-16, " 2

Passamaella(see Buliminidae) " " 15[2] " 310-3[illegible]," 1

Paucidentina (see Ennea)

Pecten, Kuster & Kobelt(1868) VII, " 2, " 20-206, " 62

Pectunculus (see Veneracea) IX, " 1, (index) p. 297

Pedipes (see Auriculacea I.) I, " 16, begins at p. 253

Perideris, Kobelt (1895) " " 10, pp. 24-48, " 14

Peringiella (see Rissoa)

Perna (see Malleacea) Vol. VIII, " 1, " 26-45, " 11

Peronaea (see Tellinidae)" X, " 4, " 109-124," 5

Peronaeoderma " ")" " " " " 96-108, " 2

Persa (see Melampus)

Petaloconchus (see Vermetus)

Petraeocerastus (see Buliminus) Vol. I, part 13±

Petraeomastus (" ") " " " "

Petraeus (" ") " " " "

Phania (see Helix) Vol. I, part 12±

Pharella (see Solenacea) " XI, " 3, " 81-82, " 1

Phasianella, Philippi (1853) II, " 5, " 1-82, " 8

Philina (see Helix) Vol. I, " 12±

Philine (see Bullidae) " " " 9, " 138-141," 3

Philopotamis (see Paludomus) " " 25, " 18-23, " 3

Pholadea, Clessin (1893) XI, " 4, " 1-88, " 21

Pholadidea (see Pholadea) " " " " 81-83 " 4
18 p. 42

Pholas (see ") " " " " 3-28, " 9

Phylloda (see Tellinidae) X, " " " 183-184," 2

Physa, Clessin (1886) Vol. I, " 17, " 1-20, 138-374, 403-410 " 88

Physopsis, Kuster (1862) " " " 17B, " 71-73, " 1

Pinna (see Malleacea) " VIII, " 1, " 82-103, " 31

Pirenella (see Cerithium)

Pirenopsis (see Melanidae) I, " 24, " 408-409," 1

Pisidium (see Cycladea) Vol. IX, " 3, " 5-74, 138-189 " 9

Placostylus, Kobelt (1891) I, " 13A, " 1-141, " 32
(See Bulimus "Neue Folge")

Plagiodon (see Unio) Vol. IX, " 2, " 221

Planispira (see Helix) " " " 12±

Planorbis (see Limnaecea) I, " 17, " 135-139, 407-408 " 29

Plaxiphora (see Chiton)

Plecotrema (see Auriculacea I.) Vol. I, pt 16, [illegible] p. 33

Plectropis (see Helix) Vol. I, part 12[4]

Pleurobranchae (see Aplysiidae) " 8, " 43-44, " 1

Pleurobranchus " ") " " " 33-43, " 4

Pleurotoma (see Pleurotomidae) IV, " 3, " {4-136 {173-248 " 39

Pleurotomidae, Weinkauff (1887) " " " " 1-248, " 43

Pleurotomaria, Schmalz (1902) VI, " 10 " 1-104, " 16

Plicadomus (see Gibbulina)

Pliotropis (see Nanina)

Poeyia (see Ancylinen) Vol. I, " 6, " 6 " 1

Pomatia (see Helix I.) " " " 12[4]

Pompholyx (see Limnaecea)" " " 17, " 230-231," 1

Potamidea (see Cerithium)

Prazis (see Tichogonia)

Priodiscus (see Streptaxidae) I, " 12B[2] " 25-27, " 1

Pristochiton (see Chiton)

Prosperpina (see Helix) " " 12[2] " 10-13, " 3

Pupa, Kuster (1852) Vol. I, " 15, " {1-138 {157-194 " 20

Pupinidius (see Buliminus)" " " 13[2]

Pupopsis (" ")" " " "

Pupoides (" Buliminidae) " " " " 917-930," 4

Purpuracea, Kuster & Kobelt (1878) III, 2, " 1-336, " 83

Purpura, Kuster (1858) Vol. III, part 1A, " 91-201, " 18

Putilla (see Pyramidellidae) I, " 28, " 130-131," 1

Pseudachatina, Kobelt (1895) " " 10, " 8-23, " 8

Pseudelma (see Ennea)

Pseudobba (see Helix) Vol. I, " 12[4]

Pseudorlessula (see Homorus)

Pseudolampus (see Auriculacea I.) Vol. I, pt 16, begins p. 204

Pseudonapaeus(see Buliminus) " " " 13½

Pseudopetraeus (see ") " " " "

Pterocera (see Strombea) Vol. IV, part 1, pp. 78-92, pls. 11

Ptychorhytida (see Rhytida)

Ptychotrema (see Ennea)

Pyramidellidae, Gray in (1840) I, " 38, " 47-274, " 31

Pyramidella (see Pyramidellidae) " " " 166-73 " 2
(? p. 247

Pyrazus (see Cerithium)

Pyrene (see Columbella)

Pyrula, Kobelt (1881) Vol. III, " 3A, " 21-46, " 7

Pythia (see Auriculacea I.) I, " 16, begins at p. 139

Pyxipoma (see Siphonium)

Rachis(see Buliminus) Vol. I, part 1.

Raffraya (see Ennea)

Ranella (see Purpuracea)" III, " 2, pp. 153-156, plr 3

Ratnadvipia (see Nanina)

Recluzia, Kuster (1856) " II, " 13, " 11-14, " 1

Retinella (see Helicidae)" I, " 12 " 895-920," 5

Retowskia(see Buliminus)" " " 13

Rexithaerus (see Tellinidae) X, " 4, " [illegible]," 1

Rhenea (see Rhytididae) Vol. I, " 15, " [illegible],

Rhysota (see Nanina)

Rhytida (see Rhytididae) " " " " 25-36, " 10

Rhytididae, Möll. & Kobelt (1905) " " " 1-41, " 14

Ricinula, Kuster (1862-'69) III, " 17, " 1-34, " 5

Riebeckia, Kobelt (1895) I, " 16, " [illegible], " 1

Risella, Philippi (1853) II, " 5, " 1-16, " 1

Rissoa, Weinkauff (1885)Vol. I, " 11, " [illegible]," 14

Rissoina, " ") " " " " " 1-47, " 13

Rostellaria (see Strombea) IV, " 1, " 93-100, " 3

Roxania (see Atys)

Roxaniella " ")

Rupellaria (see Veneracea)

Sabatia (see Scaphander)

Sao (see Atys)

Satsuma (see Helix) Vol. I, part 12[4]

Saxicava (see Gastrochaenidae) XI, " 4A, " 36-45, pls. 3

Saxidomus (see Veneracea) " " I, " 241-244," 1

Sayella (see Auriculacea I.) I, " [illegible], " begins p. 288

Scalaria (see Scalariidae) II, " [illegible], " [illegible] " 18

Scalariidae, Clessin (1897) " " " " 1-76, " 18

Scaphander (see Bullidae) I, " [illegible], " 1-10 " [illegible]
163-167

Scarabus (see Auriculacea I.) " " [illegible], " 7-11, " 1

Schizochiton (see Chiton)

Schizoglossa(see Rhytididae) " " [illegible], " [illegible] " 1

Scissurella, Philippi (1853) II, " 4, " 29-39, " 1

Scolodonta (see Streptaxidae) I, " [illegible][4] " 48-75, " 5

Seminella (see Columbella)

Senilia (see Arca)

Sepia (see Argonauta) Vol. VI (?) (Vol. in set)

Septifer (see Tichogonia)

Serissa (see Buliminus) " I, " 13[4]

Serrula (see Donacidae) " X, " [illegible], " [illegible], " 9

Sesara(see Nanina)

Sesteria (see Buliminidae) I, " [illegible][4] pp. 707-708, pls 1

Setia (see Rissoa)

Severtzowia (see Buliminus) " " "

Sigaretus, Weinkauff (1883) VI, " 14, " 1-30, " 11

Sigmia (see Melampus)

Siliquaria (see Vermetidae) Vol. VI, pt 6, pp. 1-8, pls. 4

Simpulopsis, Pfeiffer(1854) " I, part 11, " 28-31, " 3

Sinoennea (see Ennea)

Siphonium (see Vermetidae) " VI, " 6, " {45-59 " 3
{114-115

Siphonodentalis (see Dentaliidae) " 5, " 30-32, " 2

Siphonodentalium " ") " " " 32-34, " 1

Sitala (see Nanina)

Skenea, Philippi (1853) Vol. II, " 6, " 6-10, " 1

Solarium, " ") " " " 7, " 1-42, " 1

Solecurtus (see Solenacea) XI, " 3, " 84-98, " 4

Solen (" ") " " " " 1-35, " 11

Solenacea, Clessin (1888) " " " " 1-106, " 18

Sophina (see Nanina)

Spatha (see Anodonta) Vol. IX, " 1, " 183-191," 4

Sphaerium (see Cycladea) " " " 3, " 75-100, " 4

Sphaerospira (see Helix) " I, " 12[illegible]

Sphinctotresma (see Ennea)

Spiroglyphis (see Vermetidae)VI, " 6, " 108-114," 2

Spirotropis (see Pleurotomidae) IV," 3, " 170 " 3

Spirula (see Argonauta) Vol. VI (?) (Not in set)

Spondylus, Kuster & Kobelt (1888) VII,pt 2, pp. 1-28, " 10

Stenochiton (see Chiton)

Stephostoma (see Vermetidae) VI, part 6, " 90-92, " 1

Stilus (see Cerithium)

Stoa (see Siphonium)

Stomatodon (see Paludomus) Vol. I, part 25, pp. [illegible]

Streptartemon (see Streptaxis)

Streptaxis (see Helix) Vol. I, " [illegible] " 13-24, " [illegible]

" (" Streptaxidae) " " [illegible] " {27-40 & p. 93 " [illegible]

Streptaxidae, Gray (1860) " " " " 1-96, " 13

Streptostele (see Enneidae) " " [illegible], " 337-343 " 1

Strigilla (see Tellinidae) X, " [illegible], " 189-195 " 1

Strombea, Kuster (1845) Vol. IV, " 1, " 1-11[illegible], " [illegible]

Strombus (see Strombea) " " " " " 1-7[illegible], " 1[illegible]

Strombina (see Columbella)

Stylifer (see Pyramidellidae) I, " [illegible], " 234-242," [illegible]

Styliferina " ") " " " " 294

Stylopsis " ") " " " " 242-243,

Styloptygma " ") " " " " 201-204," 1

Subulona (see Homorus)

Subzebrinus (see Buliminus) " " [illegible]

Succinea, Pfeiffer (1854) " " [illegible], " 32-60, " 4

Sulcobasis (see Helix) Vol. " " [illegible]

Sunetta (see Veneracea) " XI, " 1, " 77-87, " 3

Surcula(see Pleurotoma)

Susania (see Berthella)

Symphynota (see Aplysiidae) I, " [illegible], " [illegible]-38, " 1

Syrnola (see Pyramidellidae) " " [illegible], " [illegible]-[illegible], " [illegible]

Systrophia (see Streptaxidae) " " [illegible] " [illegible]-[illegible], " [illegible]

Tachea (see Helix) Vol. I, part 12[illegible] pp. [illegible], [illegible].

Tacheocampylea " " " " "

Tagelus(see Solenacea) " XI, " [illegible], " [illegible], " [illegible]

Tanalia (see Paludomus) " I " [illegible], " [illegible], " [illegible]

Tapes (see Veneracea) " XI, " [illegible], ([illegible]) [illegible]

Taranis (see Pleurotomidae) IV, " 3, pp. 168-169," 1

Telescopium (see Cerithium)

Tellinidae, Romer (1871-'73) X, " [illegible], " 1-292, " [illegible]

Tellina (see Tellinidae) " " " " " " " "

Tellinides " ") " " " " 165-179," [illegible]

Tellinella " ") " " " " [illegible], " [illegible]

Tellidora " ") " " " " 195-200," [illegible]

Tellinungula ") " " " " 268-270," 1

Tenagodus (see Vermetidae) VI, " [illegible], " 115

Terebra (see Volutacea) Vol. V, " [illegible], " [illegible], " 7

Teredo(see Pholadea) " XI, " [illegible], " [illegible], " [illegible]

Thapsia (see Naninidae) " I, " [illegible] " [illegible] " 1

Thylacodes (see Vermetidae) VI, " [illegible], " 93-107, " [illegible]

Tiberia(see Pyramidellidae) I, " [illegible], " 232-233

Tichogonia (see Mytilidae) VIII, " [illegible], " 4-29, " 7

Tivela (see Veneracea) Vol. XI, " 1, (Index) p. 298

Tomigerus (see Helix) " I, " [illegible] pp. 7-[illegible], pls. [illegible]

Tonicia (see Chiton)

Torcula (see Turritella)

Tornatellina (see Pupa) Vol. I, " 15, " 148-156," 1

Tridacna, Kuster (1668) " VIII, " [illegible], " 1-7 " [illegible]

Triton (see Purpuracea) Vol. III, part 2, pp. {158-173 pls.31
& p. 326 " 1

Tritonium (see Triton)

Trochatella (see Helicidae) I, " 1[illegible], " 4-9 pls. 3

Trochomorpha " ") " " 1[illegible] " 535-540," 1

Trochus, Philippi (1846-'51) II, " 3, " 1-341, " 46

Trophon (see Purpuracea)Vol. III, " 2, " 274-313," 3

Truncatella, Kuster (1855) I, " 12, " 1-16, " 1

Tudicla (see Pyrula) Vol. III, " 34, " 13-30, " 2

Turbinella (see Purpuracea) " " " " 1-134, " 24

Turbo, Philippi (1846) Vol. II, " 2, " 1-[illegible], " 2

Turbonilla (see Pyramidellidae) I, " 20, " {1[illegible]-1[illegible] " 11
{[illegible]-[illegible]

Turricula (see Helix) Vol. I, " 12[illegible]

Turritella, Kobelt (1897)" " " 17, " {1-67 " 20
{78-[illegible]

Turritellopsis (see Turritella) " " " 67-71, " 1

Tylodina, Kuster (1862) Vol. I, " 7, " 3-7, " 1

Tymphanotonus (see Cerithium)

Typhlomangelia (see Pleurotomidae) IV, pt 3, " 171, " 1

Umbrella, Kuster (1862) Vol. I, part 7, pp. 1-5, pls. 1

Unio, " ") " IX, " 2, " {1-291 " 96
{307-318

Uniplicata (see Ennea)

Valvata, Kuster (1852) Vol. I, part 21, pp. 83-96, pls. 1

Velorita (see Cycladea) " IX, " 3, " [illegible] " [illegible]

Veneracea, Pfeiffer (1869-'72) XI, " 1, " 1-3[illegible], " [illegible]

Venerupis (see Veneracea) Vol. " " " " 245-251," 2

Venus (" ") " " " " " 120-241," 25

Vermetidae, Clessin (1904)" VI, " 3, " 1-114, " 18

Vermetus (see Vermetidae)" " " " " {59-80 " 8
{& p. 116

Vermiculus " ")" " " " " {81-90 " 3
{& p. 114

Vertagus (see Cerithium)

Vertigo (see Pupa) Vol. I, " 15, " (index) p. 194

Videna (see Helix) " " " 12[4]

Vitrina, Pfeiffer (1854) " " " 10, " 6-27, pls. 4

Vitrinoconus (see Naninidae) " " 12[5] " 1044-1050" 2

Vola (see Pecten)

Volutacea, Kuster (1841) " V, " 2, " {I-X " 56
{1-239

Voluta (see Volutacea) " " " " " 151-204," 21

Volutharpa (see Buccinum)" III, " 13, " [illegible], " [illegible]

Volvatella (see Bullidae)" I, " 3, " 124-127," 1

Vulsella (see Malleacea) " VIII, " 1, " 13-23, " 1

Watsonia (see Vermetidae)Vol. VI, part 6, p. 35

Weinkauffia (see Atys)

Xerocerastus (see Buliminus) I, part 13[4]

Xeroluca (see Helix I.) Vol. " " 12[4]

Xerophila (" ") " " " "

Xesta (see Nanina) " " " 12[5]

Xestina " ") " " " "

Xylophaga (see Pholadea) " XI, " 4, pp. 59-63,pls. 1

Zafra (see Columbella)

Zaria (see Turritella)

Zebinella (see Rissoina)

Zebrinus (see Buliminus)Vol. I, part 13[2]

Zirphaea (see Pholadea) " XI, " 4, " 28-30,pls. 3

Zonites (see Helix) " I " 12[5] " 811-824 " 10
1866-1869

Zootecus (see Buliminus) " " " 13[2]

Zospeum (see Auriculacea)" " " 16, " begins p.103

Systematic

CONCHOLOGICAL CABINETS OF

Martini and Chemnitz

Parts of volumes that are "missing" from this set. — see notes below

---

Vol. ~~I, part~~ 1 ~~Cephalopoda (Argonauta, Nautilus, Spirula and Sepia.~~ o.k. have

" " " 2, Pteropoda [not published]

" " " 3, Heteropoda, Finoloides o.k. have

" " " 4, Gasteropoda, Doridea [not published]

" " " 5, Acolidiacea o.k. — Have

" VI, " 2, Capulea, Patelloidea

" " " 3, Patellacea

" VII, " 1, Brachyopoda, Ostracea

" ~~XI,~~ " ~~5, Cirripedia~~ not needed in mollusks?

PAMPHLET BINDERS

This is No. 1529

also carried in stock in the following sizes

	HIGH		WIDE		THICKNESS		HIGH		WIDE		THICKNESS
1523	9	inches	7	inches	⅛	inch	1529	12	inches	10	inches	½	inch
1524	10	"	7	"	"		1530	12	"	9⅛	"	"	
1525	9	"	6	"	"		1532	13	"	10	"	"	
1526	9¾	"	7⅛	"	"		1533	14	"	11	"	"	
1527	10½	"	7⅜	"	"		1534	16	"	12	"	"	
1528	11	"	8	"	"								

Other sizes made to order.

MANUFACTURED BY

LIBRARY BUREAU

REMINGTON RAND

DIVISION OF SPERRY RAND CORPORATION